



PATTERN DIGEST

PASSENGER CAR, SUV/4X4
AND LIGHT TRUCK TIRES

2026





A Singapore-Based Global Tire Company

With more than 70 years in the tire business, Giti Tire has become one of the world's largest tire manufacturers, serving customers all around the world.



More than **100,000**
Points of Sale
in more than
130 Countries



More than **28,000**
Employees Worldwide



10 Offices
Worldwide



5 World-Class
Manufacturing
Plants

USA,
Indonesia
and China




5 R&D and Testing
Centers

4 R&D in Germany,
USA, China, Indonesia,
and 1 testing center in
Indonesia



Ranked on **Top 10**
Most Valuable Tire Brands



CONTENTS

04

Brand Presence Around the World

20

GitiSynergy Series

06

AdvanZtech

22

GitiComfort Series

08

Product Mapping

Giti4x4 Series

PCR Mapping

SUV Mapping

34

10

Giti Technology

GitiXcursion Series

GitiSilent & GitiSeal

Giti Runflat

44

14

GitiSport Series

GitiVan Series

46

18


GitiControl Series

Giti OEM Fitment Listing

56

STRONG PRESENCE

AROUND THE WORLD



Manufacturing Locations

- 1 Chester County, South Carolina
USA
- 2 Putian, Fujian
China
- 3 Hefei, Anhui
China
- 4 Hualin, Mudanjiang
China
- 5 Tangerang, Banten
Indonesia

Giti R&D Center


- 1 Chester County, South Carolina
USA
- 2 Hanover
Germany
- 3 Hefei, Anhui
China
- 4 Tangerang, Banten
Indonesia

Giti Test Center

- 1 Karawang, West Java
Indonesia



5



3

1

2

4

1

5

4

3

3

4

2



Global Offices

1 Giti Tire Pte Ltd.
Singapore

2 PT Gajah Tunggal Tbk.
Indonesia

3 Giti Tire (Malaysia) Sdn. Bhd
Malaysia

4 Giti Tire (China) Investment Co. Ltd.
China

5 Giti Tire (M.E.A.) FZCO.
Dubai

6 Giti Tire Deutschland GmbH
Germany


7 Giti Tire (France) SAS
France

8 Giti Tire (UK) Ltd
United Kingdom

9 Giti Tire (USA) Ltd
United States

10 Giti Tire (Canada) Ltd
Canada

advanztech



GREEN AND ENERGY EFFICIENT

- Low Rolling Resistance
- Eco-Friendly Compound
- ISOM Profile Deformation Analysis Technology
- RR SimTech 2.0




QUIET AND COMFORT

- PDT 3.0
- Noise-SIM Verification Technology
- Motion-Noise Transmissibility Testing Technology
- Envelop-Guide Technology



QUALITY AND ENDURANCE

- Abrasion-Resistant Rubber Compound
- Tire Footprint Prediction Technology
- Friction-SIM Evaluation System



SAFETY WITHOUT WORRY

- WinterSafe Technology
- Track Strengthening Technology
- Anti-Flat Support Ring Technology



SMART AND INNOVATIVE

- SmartQual MES
- Tire Life Cycle Management with RFID Technology



PRECISE CONTROL

- Six-Component Force Test System
- CARSIM Technology
- GripMax Race-Proven Compound

PCR MAPPING



SUV/4X4

MAPPING



HIGHWAY



ALL TERRAIN



ON/OFF-ROAD


Rim Size

12" 13" 14" 15" 16" 17" 18" 19" 20" 21" 22"



✓ Reduced Noise by 2-4dB*

Optimized tread design minimizes road noise in all conditions




✓ Laser-Cleaned Bonding

Ensures perfect adhesion for long-lasting performances




✓ Advanced Adhesion Machinery

High-pressure rollers create a uniform, ultra-strong bond with the sound-absorbing layer



✓ Resonance Control

Shifts from rigid to impedance boundary conditions, reducing cabin noise



GitiControl P10

		SPEED RATING	LOAD INDEX			SPEED RATING	LOAD INDEX			SPEED RATING	LOAD INDEX			SPEED RATING	LOAD INDEX	
17	225/50R17	W	94	19	225/45R19	W	92	20	215/45R20	V	95	21	235/45R21	V	101	
	225/55R17	W	97		225/55R19	H	99		235/55R20	W	102		255/40R21	V	102	
	235/45R17	W	94		235/40R19	Y	96		245/45R20	W	103		255/45R21	V	106	
	235/55R17	V	99		235/45R19	V	99		245/50R20	V	102		265/40R21	V	105	
					235/50R19	V	99/103		255/40R20	Y	101		265/45R21	V	108	
18	215/45R18	W	93	235/55R19	V	105	255/45R20	W	101	275/45R21	W	110	22	265/40R22	V	106
	225/45R18	W	95	245/45R19	V	98/102	255/50R20	V	109	275/50R21	W	107				
	225/50R18	V	99	245/50R19	V	105	255/55R20	W	110							
	225/55R18	V	98	255/40R19	Y	100	265/40R20	Y	104							
	235/45R18	Y	98	255/45R19	V	100/104	265/45R20	V/W	104							
	235/50R18	V	101	255/50R19	V	107	275/45R20	W	110							
	235/55R18	V	100	255/55R19	V	111	275/50R20	W	109							
	235/60R18	V	107/103													
	245/40R18	Y	93													
	245/50R18	W	100													
255/55R18	V	109														

Giti Comfort 225 v1

		SPEED RATING	LOAD INDEX			SPEED RATING	LOAD INDEX
20	245/50R20	V	102	19	235/50R19	V	99
	215/50R18	V	96		20	245/50R20	V
	245/45R20	V	103	245/45R20		V	103
	235/50R19	V	99				

Giti Comfort F22


		SPEED RATING	LOAD INDEX
17	225/50R17	V	94
	215/50R17	V	95
	235/45R18	W	94
18	235/45R18	W	94





✓ Extreme-Temperature Resistances

Stay stable and active, even under extreme conditions



✓ Self-Sealing Rubber

Strong adhesion to the inner tire wall for reliable, long-term protection



✓ Instant 5mm-Puncture Seals

High-density polymer structure keeps tires inflated and pressure steady



GitiControl P10

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
18	225/55R18	98	V	20	235/50R20	104
					255/45R20	101
19	235/55R19	105	V		265/45R20	104
				21	265/45R21	108



Giti RunFlat tire

Drive with Peace of Mind

GO UP TO 80 KM/H
FOR UP TO 80 KILOMETERS
IN THE EVENT OF A PUNCTURE



Giti Tire RunFlat Benefits

PEACE OF MIND

Giti's RunFlat tires give drivers the confidence that they won't be stranded with a flat tire.



THE INNER SUPPORT RING

Inside the tire supports the vehicle after a loss of air pressure, allowing the tire to function and the vehicle to continue on the road.

MORE TRUNK SPACE

Giti's RunFlat tires eliminate the need for a spare tire, allowing for more space to put the things that matter most to you.




With Spare Tire



Using RunFlat Tire



Giti Tire RunFlat Technology



STRONG SUPPORT FOR LONGER ENDURANCE

SPECIAL RUBBER COMPOUND AND PROCESSING TECHNOLOGY

Provides long-lasting support at zero pressure

REINFORCED BEAD WIRE STRUCTURE

Provides firm adhesion of the zero-pressure tire to the wheel




OPTIMIZED DESIGN FOR MORE COMFORT

OPTIMIZED RUBBER THICKNESS

Improves elasticity of the support rubber and ride comfort

OPTIMIZED ARC PROFILE DESIGN

Disperses stress on the sidewall and improves carcass elasticity, thus enhancing ride comfort



GitiControl P10 *Run Flat tire*

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
17	225/45R17	W 91	19	225/45R19	W 92	20	245/40R20	W 99
	225/50R17	W 94		235/55R19	V 101		245/45R20	W 103
	225/55R17	W 97		245/40R19	Y 98		255/45R20	V 101
18	225/45R18	Y 95	245/45R19	Y 98	275/35R20	W 102		
	225/50R18	W 95	245/50R19	W 105	275/40R20	W 106		
	235/50R18	V 97	255/50R19	V 107	275/45R20	W 110		
	245/40R18	Y 97	275/35R19	Y 96	275/50R20	W 109		
	245/45R18	W 100	275/40R19	Y 101	305/40R20	W 112		
	245/50R18	W 100			315/35R20	W 110		
	255/40R18	Y 99						
	255/55R18	V 109						




GitiComfort F22 *Run Flat tire*

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
16	205/55R16	V 91	17	205/55R17	V 91
	205/60R16	V 92		225/50R17	W 94
	225/55R16	W 95		225/45R17	W 91
			225/55R17	W 97	



Giti Sport GTR3

Giti's first street-legal semi-slick is sport-aligned, and optimized for ultimate performance in dry conditions. With enhanced structure and design, the tire supports speeds over 300km/h.



powered by **eparco**



SIZE RANGE

SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		
17	225/45ZR17	W	94	19	235/35ZR19	Y	91	20	245/35ZR20	(Y)	95
					245/35ZR19	Y	93		265/35ZR20	(Y)	95
18	225/40ZR18	W	92		265/35ZR19	(Y)	98		295/30ZR20	(Y)	101
	255/35ZR18	W	94		305/30ZR19	(Y)	102		305/30ZR20	(Y)	103
	265/35ZR18	W	97		325/30ZR19	(Y)	101				



Rim Size	Aspect Ratio	Speed Rating
17 - 20"	30 - 45	270 - 300KM/H

Giti Sport GTR3

FEATURES & BENEFITS

MAXIMUM DRY GRIP

- ☉ Race-developed rubber compound enhances grip on roads and tracks

SHARP PRECISION AND CONTROL

- ☉ Solid outer shoulders engineered to deliver high lateral stiffness

TORQUE RESISTANCE

- ☉ Secure bead design creates a high-performance rim lock for instant acceleration and shorter breaking distances

SHARP STEERING RESPONSE

- ☉ Optimized contact patch ensures even pressure distribution

STABILITY AT EXTREME SPEEDS

- ☉ Track-proven reinforced casing structure provide much needed strength at high speeds



GitiSport^{S2}

Top-level performance merging the finest control with wet-driving and braking strengths, the GitiSport S2 is designed to take premium vehicles to the next level.



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
16	195/45R16	V 84	19	245/40R19	Y 98	20	245/35R20	Y 95	21	255/35R21	Y 98
	205/45R16	W 87		245/45R19	Y 102		245/45R20	Y 103		255/40R21	Y 102
	215/45R16	V 90		255/35R19	Y 96		255/35R20	Y 97		265/40R21	Y 105
17	185/45R17	H 78	255/40R19	Y 100	255/45R20	W 105	275/35R21	Y 103	22	275/40R21	Y 107
	205/40R17	Y 84	255/45R19	Y 104	255/50R20	Y 109	275/40R21	Y 107			
	205/45R17	W 88	255/50R19	Y 107	265/45R20	Y 104	285/30R21	Y 100			
	215/40R17	Y 87	255/55R19	Y 111	265/50R20	W 111	295/35R21	Y 107			
	215/45R17	Y 91	275/30R19	Y 96	275/30R20	Y 97					
	▲225/45R17	Y 94	275/35R19	Y 100	275/40R20	Y 106	275/35R22	Y 104			
	235/45R17	Y 97	275/40R19	Y 105	275/45R20	Y 110	285/35R22	W 106			
18	245/45R17	W 99	285/30R19	Y 98	285/40R20	Y 108	315/30R22	Y 107			
	225/40R18	Y 92	285/40R19	Y 107							
	225/45R18	Y 95									
	235/40R18	Y 95									
	235/45R18	Y 98									
	245/40R18	Y 97									
	245/45R18	Y 100									
	255/35R18	Y 94									
	255/40R18	Y 99									
	255/45R18	Y 103									
255/55R18	Y 109										
265/35R18	Y 97										
275/40R18	Y 103										




Rim Size | Aspect Ratio | Speed Rating
16 - 22" | 35 - 55 | 210 - 300KM/H

GitiSport^{S2}

FEATURES & BENEFITS

ENHANCED GRIP

- Balanced and stiff shoulders for precise steering and immediate response
- Micro sipes provide suction effect for enhanced grip




WET DRIVING STRENGTHS

- 3 Wide grooves and an additional groove on the outer section for exceptional water drainage
- Innovative new tread compound provides extremely short braking distances, even in the wet, achieving EU Label Wet Grip Rating B

IMPROVED AQUAPLANING RESISTANCE

- 14% improved aquaplaning resistance from previous generation



SMOOTH DRIVING

- Strong center section for high speed stability and dry braking



QUIET DRIVING

- Optimized pattern block geometry & sequence for low noise and smooth ride

GitiControl P10

An ultra-high performance tire, the GitiControl P10 provides comfort and silence without compromising control and safety - bringing you and your family a safe and fun ride.



Run Flat



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		
17	215/50R17	W 95	18	245/45R18	W 100	20	215/45R20	V 95	21	235/45R21	V 101		
	215/55R17	W 98		245/50R18	W 100		235/45R20	V 100		255/40R21	V 102		
	225/45R17	W 94		245/60R18	V 105		235/50R20	V 104		255/45R21	V 106		
	225/50R17	W 94		255/40R18	W 99		235/50R20	W 104		265/40R21	V 105		
	225/55R17	V 97		255/45R18	W 99		235/55R20	V 105		265/45R21	V 108		
	225/55R17	W 97		255/55R18	V 109		235/55R20	W 102		275/35R21	W 103		
	235/45R17	W 94		19	225/45R19		W 92	245/40R20		W 99	275/45R21	W 110	
	235/50R17	W 96			225/55R19		H 99	245/45R20		W 103	22	265/40R22	V 106
	235/55R17	V 99			235/40R19		Y 96	245/50R20		V 102		275/40R22	W 107
	235/65R17	V 104			235/45R19		V 99	255/40R20		Y 101	23	285/40R23	Y 111
18	215/45R18	W 93	235/50R19		V 103	255/45R20	V 101	325/35R23	Y 115				
	225/40R18	Y 92	235/50R19		V 99	255/50R20	W 101						
	225/45R18	W 95	235/55R19		V 105	255/50R20	V 109						
	225/50R18	H 95	245/35R19		Y 93	255/55R20	W 110						
	225/50R18	V 99	245/40R19		W 98	275/45R20	W 110						
	225/55R18	V 98	245/45R19		V 102	275/50R20	W 109						
	235/40R18	W 95	245/50R19	V 101									
	235/45R18	Y 98	245/55R19	V 103									
	235/50R18	V 101	255/40R19	Y 100									
	235/55R18	V 100	255/45R19	V 100									
235/55R18	V 104	255/50R19	V 107										
235/60R18	V 107	255/55R19	V 111										
235/65R18	W 106	265/50R19	W 110										
245/40R18	Y 93	275/35R19	W 100										
245/45R18	V 96												

Note: Available with **GitiSilent GitiSeal**



Rim Size	Aspect Ratio	Speed Rating
17 - 23"	35 - 65	210 - 300KM/H


GitiControl P10

FEATURES & BENEFITS

PRECISE CONTROL & BRAKING SAFETY


⦿ Sharper Turning Response

3D design of outer perimeter groove reinforces block stiffness




⦿ Reduced Braking Distance, Improved Safety

Optimized transverse groove angle prevents boundary curling for even tire contact



⦿ Improved Water Drainage

Widened center groove boosts wet-road drainage



⦿ Accelerated Drainage, Minimized Tread Deformation

Groove pre-deformation technology helps transverse grooves evacuate water film to main grooves, improving water ejection, preserving wet grip



COMFORTABLE AND QUIET

⦿ Reduced Drive-by Noise Generation

Biomimetic water flow-inspired groove design disrupts main groove airflow, optimizing tire noise performance




⦿ Reduced Cabin Noise, Enhanced Driving Comfort

Triple-band variable pitch dislocation design optimizes design to reduce noise generation




⦿ Reduced Pipe Resonance and Noise

Crown transverse groove design created with pipe noise optimization technology channels air to longitudinal grooves, reducing noise generated



GitiSynergy^{H2}

The product of our German Engineering expertise and our AdvanZtech platform, the GitiSynergy H2 is designed mid- to high-range vehicles, delivering comfort, safety, long mileage and fuel savings.



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX							
14	165/70R14	T	81	16	175/60R16	H	82	17	195/60R17	V	90	18	215/50R18	T/W	92			
	175/65R14	T	82		185/50R16	H	81		205/50R17	Y	93		*215/55R18	V	99			
	185/60R14	H	82		185/55R16	V	87		205/55R17	V	91		*225/50R18	W	99			
15	175/65R15	H	84	195/50R16	V	88	205/55R17	W	95	*225/55R18	V	98	19	225/60R18	V	100		
	185/55R15	H	82	195/55R16	V/W	91	215/50R17	Y	95	*225/60R18	V	100		*235/50R18	V	97		
	185/60R15	H	88	205/55R16	H	91	*215/55R17	H	98	*235/50R18	V	97		*235/55R18	V	104		
	185/65R15	H	88	205/55R16	V	91/94	*215/55R17	W	94	*235/55R18	V	104		*235/60R18	T	103		
	185/65R15	H	92	205/60R16	H/V	96	*215/60R17	H	96	*235/60R18	T	103		*235/60R18	W	107		
	185/65R15	T	88	205/65R16	H	95	225/50R17	Y	98	*235/60R18	W	107		*255/55R18	T	105		
	195/50R15	V	82	205/65R16	H	95	*225/55R17	V	97	*255/55R18	T	105		225/55R19	V	99		
	195/55R15	V	85	215/55R16	W	97	225/55R17	Y	101	225/55R19	V	99						
	195/60R15	H	88	215/60R16	V	99	*225/60R17	V	99		225/55R19	V			99			
	195/65R15	H	91	215/60R16	V	99	*225/65R17	V	102			225/55R19			V	99		
	195/65R15	H	95	*215/65R16	H	98	*235/55R17	V	99						225/55R19	V	99	
	195/65R15	V	91	225/55R16	W	99	*235/65R17	V	108							225/55R19	V	99
	*205/65R15	H	99														225/55R19	V

*Sidewall with "SUV"



Rim Size	Aspect Ratio	Speed Rating
14 - 19"	50 - 70	190 - 300KM/H


GitiSynergy^{H2}

FEATURES & BENEFITS

LONGEVITY AND FUEL SAVINGS

- Giti Super Flat Contact (SFC) technology maximizes contact area, preventing deformation, and reducing shoulder wear for longer tire life

- Improved rolling resistance (RR) compound and design lowers emissions and produces fuel savings. EU RR Rating of A available in selected sizes



WET DRIVING STRENGTH

- 4 Wide grooves for exceptional water drainage (3 grooves for section <195)

- 3D-grooved center blocks deliver confident wet-road grip for ultimate safety

- Innovative tread compound allows for extremely short braking distances in the wet. EU Wet Grip Rating of A available in most sizes

DRIVING COMFORT

- Precision-tuned tread block geometry reduces noise while improving ride smoothness

- 4% improved aquaplaning resistance from previous generation

Giti Comfort F26

The next generation of tires from Giti, featuring eco-friendly construction and advanced technology integrations, engineered for efficiency and resilience on high-torque EVs.



advanztech
Giti Noise-Reduction
Technology



NEW



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX				
15	165/65R15	H	85	16	175/55R16	V	80	17	205/50R17	V	93	18	215/50R18	V	96
	175/60R15	H	85		185/55R16	V	87		215/45R17	V	91		215/55R18	V	99
	175/65R15	H	88		195/50R16	V	88		215/55R17	V	98		215/60R18	V	102
	185/55R15	H	86		195/55R16	V	91		215/60R17	V	100		225/60R18	V	104
	185/60R15	H	88		195/60R16	V	93		225/50R17	V	98	235/60R18	V	107	
	185/65R15	H	92		205/50R16	V	91		225/60R17	V	103	19	235/55R19	V	105
	195/55R15	V	89		205/55R16	V	94		225/65R17	V	106		245/45R19	V	102
	195/60R15	H	92		205/60R16	V	96								
	195/65R15	V	95		205/65R16	V	99								
	205/65R15	V	99		215/55R16	V	97								
	205/70R15	H	100		215/60R16	V	99								
	215/65R15	H	100		215/65R16	V	102								
					215/70R16	H	104								
					225/55R16	V	99								
			225/60R16	V	102										





Rim Size	Aspect Ratio	Speed Rating
15 - 19"	45 - 70	210 - 240KM/H

Giti Comfort F26

FEATURES & BENEFITS


QUIET AND SMOOTH

- ⦿ Vortex Noise-Canceling Wall Technology disrupts airflow pressure to eliminate cavity resonance noise
- ⦿ Multi-Dimensional Noise-Reducing Tread Pattern reduces road hum by scattering sound waves across different patterns
- ⦿ Flexible Belt Technology tuned crown belt stiffness absorbs vibrations for cabin quietness



LONG-LASTING DURABILITY

- ⦿ UPS Ground Stabilization Technology balances friction for even wear and longer tire life
- ⦿ Strong internal structure with impact-resistant design handles heavy loads for maximum safety
- ⦿ High-Modulus Nano-Reinforced Carbon Black increases wear resistance by 40% per millimeter for longer mileage



WET ROAD SAFETY

- ⦿ Adaptive Grip Technology optimizes tire contact for balanced traction
- ⦿ Next-Gen Hydrodynamic Groove Design channels water away faster for superior wet traction
- ⦿ Hydrophilic silica-enhanced tread rubber delivers shorter wet braking distances and safer wet-weather performance



Giti Comfort 225 V1

A new generation of green, energy-saving tires. Using strict OEM requirements as the standard, the GitiComfort 225V1 meets the needs of alternative energy vehicles with large torque and heavier body weights.



advanztech
Giti Noise-Reduction
Technology



SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX			
16	195/60R16	H	93	18	215/50R18	V	96	19	235/50R19	V	99	20	245/45R20	V	103
	205/55R16	V	91		225/45R18	V	95		235/55R19	V	101		245/50R20	V	102
17	205/50R17	H	93		225/50R18	V	95	245/55R19	H	103	22	265/40R22	V	106	
	205/50R17	V	89	225/55R18	H	98	225/55R18		V	102					
	205/55R17	H	95	245/50R18	V	100									

Note: Available with **Giti@Silent**




Rim Size | Aspect Ratio | Speed Rating
16 - 22" | 40 - 60 | 210 - 240KM/H

Giti Comfort 225 V1

FEATURES & BENEFITS

REDUCED TREAD WEAR & IMPROVED ENERGY EFFICIENCY

- Advanced lightweight materials enhance ride smoothness while reducing weight and energy use
- Advanced SSBR tread compound cuts rolling resistance, reducing heat and energy consumption



STRONG GRIP & CONTROL


- High-styrene/silica hybrid compound delivers superior wet grip



- Gen2 RR prediction technology enables thinner tread designs that reduce energy loss



- Robust tread design with tapered groove depth enhances shoulder rigidity for sharper steering response and stronger grip



LESS NOISE & MORE COMFORT

- S4 variable-pitch tread design softens road impact for quieter performance



Giti Comfort F50

GitiComfort F50 is a SUV tire featuring silence and comfort, less energy consumption, and outstanding handling in wet conditions.



advanztech
Giti Noise-Reduction
Technology



SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX			
16	215/65R16	H	98	18	215/55R18	H	95	19	225/55R19	H	99	20	255/45R20	H	101
					215/55R18	V	95		235/50R19	V	99				
17	215/60R17	H	96		225/55R18	V	98		235/55R19	V	101				
	215/65R17	V	99		225/60R18	H	100		235/60R19	H	107				
	225/60R17	H	99		235/60R18	H	103								
	225/65R17	H	102		235/65R18	V	106								
	235/55R17	V	99												
	235/65R17	V	104												




Rim Size | Aspect Ratio | Speed Rating
16 - 20" | 45 - 65 | 210 - 240KM/H

Giti Comfort F50


FEATURES & BENEFITS

COMFORTABLE AND QUIET

- ◎ Precision-tuned tread blocks reduce noise for a quieter, smoother ride



- ◎ Multi-angle groove design minimizes pumping noise for quieter rides



- ◎ Silent construction design and AI-optimized casing reduce vibration noise for quieter performance



ENERGY-EFFICIENT & ECO-FRIENDLY

- ◎ Nano-silica reinforcement minimizes friction
- ◎ Temperature-control tread technology reduces heat buildup, saving fuel and energy



WET DRIVING SAFETY

- ◎ Quick-evacuation tread design shortens wet braking distance for safer stops



Giti Comfort F22

Designed to deliver silence and comfort to passenger cars, the GitiComfort F22 also provide reduced energy consumption and outstanding handling in wet conditions.



advanztech
Giti Noise-Reduction
Technology

RunFlat



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX				
15	185/65R15	T	88	16	195/55R16	V	91	17	205/50R17	V	93	18	215/50R18	H	92
	195/65R15	H	91		195/60R16	V	89		205/55R17	H	91		225/40R18	V	92
			205/55R16		H	91	215/50R17		V	95	225/45R18		V	95	
			205/55R16		V	91	215/55R17		H	94	235/45R18		W	94	
			205/55R16		V	94	215/55R17		V	94	235/50R18		H	101	
			205/60R16		H	92	225/45R17		V	91					
			205/60R16		V	92	225/50R17		V	94					
			205/60R16		V	96	235/50R17		V	96					
			205/65R16		V	95									
			215/55R16		V	93									
			215/60R16		V	95									
			225/60R16		V	98									

Note: Available with **Giti@Silent**





Rim Size	Aspect Ratio	Speed Rating
15 - 18"	40 - 65	190 - 270KM/H

Giti Comfort F22


FEATURES & BENEFITS

COMFORTABLE AND QUIET

- Precision-tuned tread blocks reduce noise for a quieter, smoother ride



- Multi-angle groove design minimizes pumping noise for quieter rides



- Silent construction design and AI-optimized casing reduce vibration noise for quieter performance




ENERGY-EFFICIENT & ECO-FRIENDLY

- Nano-silica reinforcement minimizes friction
- Temperature-control tread technology reduces heat buildup, saving fuel and energy



WET DRIVING SAFETY

- Quick-evacuation tread design shortens wet braking distance for safer stops



Giti Comfort T29

Featuring high mileage, enhanced durability, and low noise, the GitiComfort T29 is perfect for ride hailing vehicles and optimized for EVs.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Giti Noise-Reduction
Technology



SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX			
15	185/60R15	H	84	16	195/60R16	V	93	17	205/50R17	H	93	18	215/55R18	V	99
	185/65R15	H	88		205/55R16	H	94		215/50R17	V	95		235/50R18	V	101
	195/65R15	H	91		205/60R16	H	96		215/55R17	V	98	19	245/45R19	V	102
			205/65R16		H	99	215/60R17		V	100					
			215/60R16		H	99	215/65R17		H	103					
			225/60R16		V	102	225/55R17		V	101					
								225/55R17	V	97					
								225/65R17	H	106					



Rim Size	Aspect Ratio	Speed Rating
15 - 19"	45 - 65	210 - 240KM/H

Giti Comfort T29

FEATURES & BENEFITS

EXTENDED MILEAGE & LESS NOISE

- ◎ Nano-structured carbon black for superior wear resistance and extended mileage



- ◎ Innovative sipe design maintains tread stiffness while reducing noise




COMFORT AND SAFETY

- ◎ Reinforced apex boosts sidewall stiffness for precise handling, while high-tension bead wires secure pressure and safety



ENHANCED GRIP

- ◎ Dual high-strength steel belts enhance rigidity, reduce flex, and improve grip and handling
- ◎ Deeper and decorative sipes maintain wet grip even as tread wears
- ◎ Three wider grooves improve the tread block rigidity and wet grip/braking



Giti Comfort T20

Engineered for durability, the GitiComfort T20 defends against road hazards while ensuring a stable, comfortable journey.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech

Giti Noise-Reduction Technology



SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX			
12	145/70R12	T	69	14	155/65R14	T	75	15	175/60R15	T	81	16	185/55R16	H	83
					165/60R14	H	75		175/65R15	H	84		195/50R16	V	84
13	155/65R13	H	73		165/70R14	H	81		185/55R15	H	82		195/55R16	H	91
	165/65R13	T	77		175/60R14	H	79		185/60R15	H	84		205/55R16	V	91
	165/70R13	T	83		175/65R14	H	82		185/65R15	H	88		215/60R16	H	95
	175/60R13	H	77		175/70R14	H	84		195/55R15	H	85		225/60R16	H	98
	175/70R13	T	82		185/60R14	H	82		195/60R15	H	88		235/60R16	H	100
	185/70R13	T	86		185/65R14	H	86		195/65R15	V	91				
					185/70R14	H	92		205/65R15	V	94				
					195/60R14	H	86		205/70R15	T	96				
					195/70R14	T	95								
					205/60R14	H	88								
					205/75R14	S	95								




Rim Size	Aspect Ratio	Speed Rating
12 - 16"	50 - 70	180 - 240KM/H

Giti Comfort T20


FEATURES & BENEFITS

DURABILITY AND MILEAGE

- Reinforced sidewall technology enhances impact resistance for superior durability



- Interlocking Tread Block Design boosts rigidity and resists chipping for longer wear



- Dual Steel-Belted Crown, reinforced with high-tension cap plies for stability, durability, and extended mileage



QUIET RIDE

- 5-Pitch & 72-Pitch Sequencing reduces road noise



GitiXross *HT* 71

A high-mileage tire specially designed for pick-ups and on-road SUVs, the GitiXross HT71 provides greater comfort with lower noise.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX			
17	265/65R17	T	112	18	265/60R18	H	114	19	225/55R19	V	103	20	275/55R20	H	113
	225/65R17	H	106		265/65R18	T	114		235/55R19	V	105				
	255/70R17	T	112		265/70R18	T	116								
	265/65R17	H	112												




Rim Size	Aspect Ratio	Speed Rating
17 - 19"	55 - 70	190 - 240KM/H

Giti Xross HT 71

FEATURES & BENEFITS

HIGH WEAR RESISTANCE, LONGER MILEAGE

- Nanoscale-reinforced tread compounds create stronger molecular bonds for improved wear resistance
- Dynamic Pressure Balance Technology optimizes tread contact for even wear and longer life




LOWER NOISE, INCREASED COMFORT

- Cross-shaped grooves disperse airflow and dampen vibrations for quieter performance
- Noise-optimized tread blocks reduce road impact for quieter, smoother rides



STRONGER CASING, HIGHER LOAD BEARING

- Stronger casing provides greater durability, enhancing load capacity and safety.
- High-capacity crown steel boosts rigidity, puncture resistance, and load capacity



Giti 4x4 HT152

The Giti4x4 HT152 is a top-level highway-terrain tire, offering great mileage and distance driving - as well as enhanced wet grip and safety features for your driving assurance.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
16	215/65R16	H 98	17	215/60R17	H 96	18	215/55R18	H 95	19	245/55R19	H 103
	215/70R16	H 100		225/60R17	H 99		225/55R18	H 98		20	275/60R20
	235/70R16	H 106		235/55R17	H 99		225/60R18	H 104	285/50R20		V 116
	245/70R16	T 111		235/60R17	H 102		235/50R18	H 97			
	255/70R16	H 111		235/65R17	H 104		235/55R18	H 100			
	225/70R16	T 103		245/65R17	H 111		235/60R18	H 103			
	265/70R16	T 112		265/65R17	T 112		245/60R18	H 105			
			265/65R17	H 112	255/60R18	H 112					
			265/70R17	T 115	265/60R18	T 110					
					265/60R18	H 110					



Rim Size

16 - 20"

Aspect Ratio

50 - 70

Speed Rating

190 - 240KM/H

Giti 4X4 HT 152

FEATURES & BENEFITS

CONTROL AND HANDLING

- Tread compound with the addition of functional resin and highly dispersible white carbon black
Enhanced grip on wet ground



- Double-layer casing structure:
Stronger casing for high impact resistance




SAFETY AND MILEAGE

- Protection bar design on shoulder prevents sidewall abrasion



- Use of highly elastic rubber system and addition of rubber-reinforcing carbon black:
Improved wear resistance of compound



Giti 4x4 AT71

Specially designed for off-road vehicles, the Giti4x4 AT71 is an all-terrain tire featuring low noise, better handling and high durability.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX				
16	235/70R16	T	109	17	215/60R17	H	96	18	235/60R18	T	107	19	255/60R19	H	109
	245/70R16	T	111		225/65R17	T	106		255/60R18	H	112		265/55R19	H	113
	255/70R16	T	115		245/65R17	H	111		265/60R18	S	110	20	LT285/50R20	S	119/116
	265/70R16	T	116		245/70R17	T	114		265/60R18	T	110		275/60R20	H	119
			265/65R17	H	116	265/60R18	T	114							
			265/65R17	T	112	265/65R18	T	114							
			LT245/65R17	S	105/102	265/70R18	S	116							
			LT265/65R17	S	120/117	265/70R18	T	116							
						275/65R18	T	116							
						285/60R18	T	120							
						LT285/60R18	S	121/118							



Rim Size

16 - 20"

Aspect Ratio

50 - 70

Speed Rating

180 - 210KM/H

Giti 4X4 AT 71

FEATURES & BENEFITS

OFF-ROAD PERFORMANCE

- Self-cleaning grooves prevent pebbles and debris from getting stuck
- Open transverse grooves clear mud/debris for better off-road traction



NOISE REDUCTION PERFORMANCE

- Shoulder groove design disrupts noise transmission for quieter rides
- Segmented transverse grooves boost stiffness while lowering noise



Giti 4X4 AT70

The Giti4x4 AT70 is a rugged, premium off-road tire built for adventure. Inspired by tank tread technology, its aggressive design delivers unstoppable traction on any terrain.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

	SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX		SPEED RATING	LOAD INDEX
15	31x10.50R15LT	S 109	16	245/70R16	S 107	17	245/75R17	T 112	18	255/60R18	T 112
	LT235/75R15	S 104/101		245/70R16	T 111		255/65R17	T 110		255/65R18	T 111
		255/70R16		T 111	265/65R17		T 112	265/60R18		S 110	
		265/70R16		S 112	285/65R17		S 116	265/60R18		T 114	
		265/75R16		S 116	LT265/65R17		S 120/117	265/65R18		T 114	
		LT225/75R16		S 118/116	LT265/70R17		R 121/118	285/60R18	T 116		
		LT235/70R16		S 104/101	LT285/70R17		S 121/118				
		LT235/85R16		S 120/116				20	265/50R20	T 111	
		LT245/70R16		S 111/109					265/55R20	T 113	
		LT245/75R16		S 120/116					275/55R20	T 117	
		LT265/70R16	S 117/114								



Rim Size	Aspect Ratio	Speed Rating
15 - 20"	50 - 85	170 - 190KM/H

Giti 4X4 AT70

FEATURES & BENEFITS


OFF-ROAD PERFORMANCE

- ⦿ Increased tread width enhances grip
- ⦿ Gravel-inspired tread block design delivers superior traction on loose surfaces
- ⦿ High performance natural rubber compound resists cuts for longer wear



SAFE AND DURABLE

- ⦿ 3-layer casing + 5-layer sidewall enhances strength for higher impact resistance
- ⦿ Extra-thick 5mm sidewalls, built to withstand punctures
- ⦿ 3.5mm "Guardrail" Bar shields sidewalls from gravel impacts



GITI4X4 AT200

AT200 is engineered for rugged off-road performance that combines enhanced puncture resistance, formidable all-terrain strengths and significant road-noise reduction capabilities.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology

NEW



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		
15	31x10.50R15LT	6PR	S	109	18	265/60R18	-	H	81	20	LT275/55R20	8PR	S	115/112
16	LT235/70R16	8PR	S	110/107		265/70R18	-	H	84		LT275/60R20	8PR	S	119/116
	LT245/70R16	6PR	S	106/103		275/65R18	-	T	82		LT285/55R20	8PR	T	117/114
	LT255/70R16	6PR	S	108/104		LT255/60R18	10PR	S	84					
	LT265/70R16	8PR	S	117/114		LT265/60R18	8PR	S	88					
17	LT245/70R17	6PR	S	108/104		LT265/65R18	8PR	S	85					
	LT265/65R17	10PR	S	120/117		LT285/60R18	8PR	S	88					
	LT265/70R17	10PR	S	121/118		LT285/65R18	8PR	S	91					
	LT285/70R17	6PR	S	116/113										



Rim Size

15 - 20"

Aspect Ratio

55 - 70



Speed Rating

180KM/H - 210KM/H

GIT14X4 AT200



FEATURES & BENEFITS


SUPERIOR ALL-TERRAIN TRACTION

- 
Interlocking Tread Design:
Multi-angled blocks bite into soft, uneven terrain for maximum grip
- 
Zig-Zag Grooves
Increase ground contact edges for superior traction on loose dirt and gravel





CONFIDENT SAND PERFORMANCE

- 
Sand Dominator Structure
A specialized casing and sidewall design provides stable flotation and prevents bead unseating at low pressures
- 
Helical Ejection Ribs
Actively channel and eject sand to prevent buildup and maintain momentum





RUGGED DURABILITY

- 
Armored Shoulder Design
Reinforced shoulder blocks protect against sidewall impacts, cuts, and abrasions
- 
High-Strength Carcass
Built with robust, high-tensile materials to withstand heavy loads and punishing impacts for an extended service life



ENHANCED RIDE COMFORT

- 
Noise-Canceling Grooves
Variable pitch design disrupts sound waves to reduce road noise
- 
Vibration Control Design
Wide grooves absorb impacts and regulate airflow for a smoother, quieter ride



GitiXCURSION XT 71

Engineered for the rugged terrains, the GitiXCURSION XT71 provides excellent off-road performance for those craving wild adventures.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		
14	27x8.50R14LT	6PR	Q	95	17	LT245/65R17	8PR	Q	111/108	20	33x12.50R20LT	10PR	Q	114
15	30x9.50R15LT	6PR	Q	104		LT265/65R17	10PR	Q	120/117		35x12.50R20LT	10PR	Q	121
	31x10.50R15LT	6PR	Q	109		LT265/70R17	10PR	Q	121/118		LT265/50R20	8PR	Q	110/107
	33x12.50R15LT	6PR	Q	108		LT285/70R17	10PR	Q	121/118		LT275/55R20	8PR	Q	115/112
	LT215/75R15	6PR	Q	100/97	18	35x12.50R18LT	8PR	Q	118					
	LT235/75R15	6PR	Q	104/101		LT265/60R18	8PR	Q	114/110					
16	LT245/70R16	8PR	Q	113/110		LT265/65R18	8PR	Q	117/114					
	LT245/75R16	10PR	Q	120/116		LT285/60R18	8PR	Q	118/115					
	LT265/70R16	8PR	Q	117/114										
	LT265/75R16	6PR	Q	112/109										
	LT285/75R16	6PR	Q	116/113										



Rim Size	Aspect Ratio	Speed Rating
14 - 20"	50 - 75	160KM/H

GitiXCURSION XT 71

FEATURES & BENEFITS

OFF-ROAD PERFORMANCE

STRONG TRACTION

- ☉ Tank track-inspired design integrates zig-zag grooves, stepped-wedge groove edges, and staggered ladder shoulders to provide traction on rugged roads

RUGGED-TERRAIN CAPABILITY

- ☉ Armor 2.0 reinforced shoulder blocks arranged as interlocking chains prevent cuts from large stones
- ☉ 3PMS and POR Certified

SAFE AND DURABLE

ANTI-PUNCTURE

- ☉ Large armor-shaped pattern block on shoulder protect tire from harsh conditions and punctures.



STRONGER CASING FOR HIGHER LOADS

ENHANCED LOAD CAPACITY

- ☉ High-strength casing construction
- ☉ Patented load bearing protector tire construction method reinforces tire bead durability and protects tire rim



Giti Van 600

The GitiVan 600 is known for its consistency and durability, providing commercial van drivers with an all-around tire they can trust.



EQUAL FORCE CASING DESIGN
Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		
12	145R12C LT	6PR	Q	80/78	14	175/70R14C LT	6PR	S	95/93	15	205/70R15C LT	6PR	R	104/102
	155R12C LT	6PR	N	80/78		185R14C LT	8PR	R	102/100					
13	155R13C LT	8PR	S	90/88		195R14C LT	8PR	N	105/103					
	175R13C LT	8PR	Q	97/95		205R14C LT	8PR	N	107/105					





Rim Size	Aspect Ratio	Max. Load (KG)
12 - 15"	70	462 - 1,060

Giti Van 600

FEATURES & BENEFITS

DURABILITY AND MILEAGE

- Double-layer high-strength steel belt and high-strength nylon cap ply enhance tread rigidity and prevent deformation
- High-tensile polyester casing, reinforced for maximum durability
- Continuous block design boosts rigidity and prevents uneven wear
- Commercial-grade tread compound, engineered for maximum wear resistance



Giti Van 600V1

The GitiVan 600V1, an upgraded commercial van tire with extended mileage, heavy-load durability, and a comfortable ride.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		
14	165R14LT	8PR	S	96/95	15	185R15C LT	8PR	R	103/102	16	185/75R16C LT	8PR	R	100/97
	175/70R14LT	6PR	S	95/93		195/70R15C LT	10PR	R	104/101		195/75R16LT	8PR	S	102/99
	175/75R14LT	10PR	N	99/96		195R15C LT	8PR	R	106/104		205/75R16LT	10PR	R	110/107
	175R14LT	8PR	N	99/97		215/70R15C LT	8PR	R	104/101		215/70R16C LT	8PR	T	106/102
	185R14LT	8PR	R	102/100		225/70R15C LT	8PR	R	106/103		215/75R16 LT	10PR	S	112/109
215/75R14LT	8PR	R	104/101					215/75R16C LT	8PR	R	107/104			
									215/75R16C LT	10PR	S	116/114		



Rim Size	Aspect Ratio	Max. Load (KG)
14 - 16"	70 - 75	630 - 975

Giti Van 600 v1

FEATURES & BENEFITS


DURABILITY AND MILEAGE

- Utilizes an ultra-durable compound for high wear resistance
- Optimized groove depth and contact area ensure even pressure distribution, preventing irregular wear



NOISE REDUCTION AND SAFETY

- Enclosed shoulder design blocks sound wave propagation for quieter performance
- 5-pitch tread sequence reduces noise
- Steel-reinforced shoulder design optimizes wet & dry braking balance
- Wide main grooves and lateral grooves ensure excellent drainage performance



Giti Van 600^B

A new generation commercial tire, the GitiVan 600B is engineered for extreme durability and long wear under heavy loads.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX	
12	145R12C LT	8PR	N	86/84	16	215/65R16 LT	12PR	T	113/110
	155R12C LT	8PR	R	88/86		17	235/60R17 LT	10PR	T
14	195R14C LT	10PR	Q	110/108					
	205R14C LT	10PR	Q	113/111					
	205/75R14C LT	10PR	S	113/111					



Rim Size	Aspect Ratio	Max. Load (KG)
12 - 17"	60 - 75	500 - 1150

Giti Van 600^B

FEATURES & BENEFITS


COMFORTABLE AND QUIET

- Large shoulder blocks with integrated sipes reduces resonance and noise generated




IMPROVED TRACTION IN WET AND DRY

- Circumferential rib design with lateral sipes promote better traction and tread life while reducing noise



ADVANCED WATER DISPERSION

- Three wide circumferential grooves reduces hydroplaning for excellent wet-road handling



GitiUtility 668^{V1}

GitiUtility 668V1, a durable, long-lasting commercial tire designed for efficiency and smooth driving.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		PR	SPEED RATING	LOAD INDEX		
13	6.00R13LT	10PR	N	98/93	14	6.00R14LT	10PR	N	100/96	16	6.50R16LT	10PR	N	107/102
											7.00R16LT	12PR	N	115/110
											7.50R16LT	14PR	N	122/118



Rim Size
13 - 16"

Aspect Ratio
80

Max. Load (KG)
975 - 1,500

GitiUtility 668^{V1}


FEATURES & BENEFITS

DURABILITY AND MILEAGE

- Double-layer high-strength steel belt and high-strength nylon cap ply enhance tread rigidity and prevent deformation



- FEA-optimized construction ensures even pressure distribution for uniform wear and longer tread life



- Reinforced bead design enhances durability for extended tire life



- High-modulus, low-shrinkage polyester ply construction delivers exceptional casing strength for superior load capacity and extended service life



- Precision shallow sipes maintain wet traction without compromising tread stability



Giti Van V61

GitiVan V61 features superior wet traction, a quieter ride, and better fuel efficiency for commercial vans.



EQUAL FORCE CASING DESIGN

Improves overall handling, lowers irregular wear, and increases tire life.



advanztech
Extra Durable Technology



SIZE RANGE

	PR	SPEED RATING	LOAD INDEX
15 185/65R15LT	12PR	T	103/100

	PR	SPEED RATING	LOAD INDEX
16 185/75R16LT	8PR	T	100/97
195/75R16LT	12PR	T	112/109
205/75R16LT	10PR	T	113/111
215/65R16LT	8PR	T	109/107
215/75R16C	10PR	S	116/114
225/65R16LT	10PR	T	112/110
235/65R16LT	10PR	T	121/119




Rim Size	Aspect Ratio	Max. Load (KG)
15 - 16"	65 - 75	800 - 1,030

Giti Van V61

FEATURES & BENEFITS

WET GRIP PERFORMANCE

- Wet-optimized tread design achieves top-tier 'A' wet grip rating



QUIET AND COMFORTABLE

- Noise-optimized tread design delivers ultra-quiet performance (70dB)



DURABILITY AND MILEAGE

- Optimized contour, compound, tread, and structure deliver ultra-low rolling resistance



Giti OEM Fitment Listing

	Tire Size	Load Index & Speed Rating	Vehicle Brand	Vehicle Model
GitiSynergy E1	185/70R14	88H	SKODA	FABIA
			VW	POLO
			SEAT	IBIZA
	205/60R16	92H	SEAT	ARONA
			VW	T-cross
			VW	T-cross
GitiSynergy H2	205/70R17C	115/113		
	195/55R16	91W XL	BMW MINI	Mini Cooper
	205/65R15	99H	VW	Caddy 5
	205/60R16	96H		
	205/55R17	91V	VW	T-cross & TAIGO
			SEAT	ARONA
	215/55R17	98H	VW	Caddy 5
	225/55R17	97V	SKODA	Karoq PA
			VW	T-cross
			SEAT	Ateca PA
				ATECA PA
	GitiControl P10 GitiSilent	235/60R18	103T	VW
255/55R18		105T		
235/50R19		103V	BYD	SEALION 07 EV
255/45R19		104V	BYD	SEALION 07 EV
GitiControl P10	245/45R19	102V	Hozon	Neta S
		98V	BYD	Han DM
				Han EV
	245/50R19	105V	Chery	Luxeed ES EV
				Luxeed S7 EV
	225/45R18	95W	GAC	Empow HEV
	225/50R18	99V	GAC	Trumpchi E8 PHEV
	235/55R20	105V	Leapmotor	C16
	245/45R20	103V	Skyworth	EV6
				HT-i PHEV
	255/50R20	109V	Leapmotor	C16
	255/55R20	110W	Jetour	Traveller
	225/55R19	99H	Chery	iCAR 03 EV
	235/45R19	99V	BYD	SEAL DM-i
				SEAL 06 GT DM
	235/50R19	99V	Geely	Boyue COOL
			BYD	Song PLUS DM-i
			Skyworth	EV6
			HT-i PHEV	
		VW	Tiguan L	
235/55R19	105V	Geely	Lynk & Co 08 PHEV	
		Changan	Deepal S07 EV	
235/60R19	107H	Jetour	Shanghai T1	
245/40R19	98W	GAC	Hycan A06	
245/45R19	102V	Mazda	EZ-6 EV	
		Changan	Qiyuan A07 EV	
			Deepal S03 EV	
255/45R19	100V	VW	Tiguan L	
225/40R18	92W	VW	Golf	
	92Y	Audi	A3	
225/45R18	95W	GAC	Empow HEV	
225/50R18	95V	BYD	SEAL DM-i	
	99V	BYD	SEAL 06 GT DM	
			SEAL 07 DM	
		GAC	Trumpchi E8 PHEV	
		SAIC	Roewe D7 EV	
225/55R18	102H	JAC	Refine RF8 PHEV	
	98V	Peugeot	Peugeot 5008	
235/50R18	101V	Smart	Smart #1	
		Geely	Galaxy E8 EV	
235/55R18	100V	VW	Tiguan L	
			Tiguan L PRO	
	104V	Zeekr	Zeekr X	
245/45R18	96V	VW	Passat Pro	
225/55R17	97V	BYD	M6 EV	
GitiControl P80 GitiSilent	255/50R20	109V	BYD	Tang DM
GitiComfort F22 GitiSilent	215/50R17	95V	BAIC	Koala EV
GitiComfort F22	215/50R18	92H	VW	Karoq
			Tharu	
	225/45R18	95V	GAC	Empow HEV
		Geely	Emgrand S	
			Geometry C	
	205/50R17	93V	Changan	CS35 PLUS
		Geely	Emgrand	
		Chery	Arrizo 5 PLUS	
	205/55R17	91H	VW	T-Cross
	215/50R17	95V	JAC	Sehol X4
	215/55R17	94H	VW	Karoq
			Tharu	
		GAC	M6	
		BYD	Qin PLUS DM-i/EV	
		Geely	Xingrui	
			Xingrui L	
			Galaxy L6 PHEV	
		JAC	Sehol E50A EV	
	225/45R17	91V	VW	Golf
	225/50R17	94V	GAC	Empow HEV
		Geely	Emgrand GS	
	225/55R17	101H	GAC	E8
		VW	Tharu	
	195/55R16	91V	Geely	Emgrand
	205/55R16	91H	VW	Lavida
		91V	Geely	Proton S70
		JAC	Yiwei 3 EV	
	205/60R16	92H	VW	T-Cross
	215/60R16	95V	Geely	Emgrand EV
	225/60R16	98V	BYD	Qin PLUS DM-i/EV
	185/65R15	88T	VW	Polo
	195/65R15	91H	VW	Lavida

Giti OEM Fitment Listing

	Tire Size	Load Index & Speed Rating	Vehicle Brand	Vehicle Model			
GitiComfort F22A	215/50R17	91V	BAIC	Beijing EU5 EV			
GitiComfort F50	255/45R20	101H	Peugeot	Peugeot 408			
			Chery	Jetour X70			
				Jetour X90 PLUS			
	225/55R19	99H	Geely	Jetour Dasheng			
			Changan	Boyue			
	235/50R19	99V	GAC	CS55 PLUS			
				CS75 PLUS			
	235/55R19	101V	Geely	Trumpchi GS4 PLUS			
	235/60R19	107H	BAIC	Haoyue			
	215/55R18	95H	BAIC	X7			
			GWM	BJ30			
				Haval Dargo			
				Haval 2nd-gen Dargo PHEV			
			GAC	Trumpchi GS3			
			Chery	Omoda			
			Geely	Binyue			
				Lynk & Co 06			
				Trumpchi GS4			
				Boyue			
	225/55R18	98V	JAC	Sehol X6			
			Changan	CS55			
			BAIC	Magic Cube			
			BYD	Song Pro DM			
			Hozon	Neta U			
			Geely	Boyue			
				Haoyue			
				Vision X6			
			Chery	iCAR 03 EV			
				Tiggo 7			
	235/55R18	100V	Changan	CS75			
			GWM	Haval Cool Dog			
			Geely	Xingyue			
			Chery	Tiggo 8PRO			
			Chery	Jetour Dasheng			
			BAIC	BJ30			
			GWM	Haval Dargo			
			Geely	Binyue			
			Chery	Tiggo 5X			
			Citroen	C5 X			
	235/60R18	103H	GAC	Trumpchi GS4			
				Haoyue PRO			
				Ruilan 7 EV			
				CS75			
				Boyue L			
			JMC Ford	Lingrui			
			GitiComfort F50+	235/55R18	100V	Geely	Boyue L
						JMC Ford	Lingrui
			GitiComfort F26	225/45R18	91V	VW	Lamando
				205/55R17	91H	VW	Lamando
GitiComfort 225V1 GitiEcoSilent	245/50R20	102V	BYD	Frigate 07 DM			
	235/50R19	99V	Chery	Tiggo 8PRO			
	215/50R18	96V		Explore 06			
			GAC	Trumpchi M6			
GitiComfort 225V1	245/45R20	103V	BYD	Trumpchi M6			
			Geely	Tang DM			
	235/50R19	99V		Boyue L			
				Xingyue L			
				Xingyue S			
			BYD	Song PLUS DM-i/EV			
				Song Pro DM			
			BYD	Frigate 07 DM			
			GAC	Trumpchi GS4 MAX			
				Emkoo			
			SAIC	MG ZS HEV			
			GWM	Ora Good Cat			
	225/45R18	95V	JAC	Sehol E40X EV			
			Chery	Arrizo 8			
			BYD	SEAL DM-i/SEAL EV			
			SAIC	Maxus G20			
			BYD	Han DM			
			JAC	Yiwei 3 EV			
			Spotlight	MINI Cooper			
			Spotlight	MINI Aceman			
			Spotlight	MINI Cooper			
			Changan	CS35 PLUS			
GitiComfort 228V1	225/45R18	95V					
GitiXross HT71	265/60R18	114H	GWM	Haval Menglong PHEV			
				Poer Cannon			
	265/65R18	114H	BAIC	BJ40			
			JMC	Grand Avenue			
			BYD	Bao 5 PHEV			
			Geely	Radar RD6 EV			
			JMC Ford	Ranger			
			JMC	Grand Avenue			
			Nissan	Paladin			
			Nissan	Rich 6			
			Nissan	Rich			
			Geely	Super VAN EV			
Giti4x4 HT152	255/60R18	112H					
	255/70R16	111H					
GitiConquest HT150	245/70R16	111S					
GitiVan V61	215/75R16C LT	116/114S	Geely	Super VAN EV			
GitiCompete GTR2 PRO	265/40R22	106Y	Zeekr	001 FR			
	295/35R22	108Y	Zeekr	001 FR			
Giti4x4 AT71	255/60R19	109H	Chery	Traveller			
	235/60R18	103T	Chery	iCAR 03 EV			
Giti4x4 AT70	255/60R18	112T	Nissan	Navara			
				Rich 7			
				T8			
			JAC	Kaicene F70			
			Changan	Maxus T90			
			SAIC	Navara			
			Nissan	Maxus T70			
			SAIC	Maxus T70			
			Changan	Kaicene F70			
			Nissan	Rich 6 Off-Road Edition			



www.giti.com